MIDLEVEL PERSONNEL IN OBSTETRICS AND GYNECOLOGY

practice was minuscule compared with the income generated because the cost savings were passed directly on to patients and overhead expenses were relatively high. At site B, a rather unique way of passing cost savings on to patients was achieved by not increasing office fees for three years. During these three years the average fee charged for five measurements of care by ten other obstetrician-gynecologists in Tacoma (who did not employ midlevel personnel) increased each year (Table 4). By 1977 all five fees charged at site B were less than the average charged by the ten other obstetrician-gynecologists in the same city. Thus, total health care cost at site B was lower in 1977, thereby benefiting all patients at that site. It is our contention that the use of midlevel personnel generates profits and keeps down all office fees, and that this best serves patients at a time when health costs are dramatically rising.

REFERENCES

1. Appel GL, Lowin A: Physician Extenders: An Evaluation of Policy-related Research—Final Report. Minneapolis, National Science Foundation Interstudy, 1975

- 2. Nelson EC, Jacobs AR, Cordner K, et al: Financial impact of physician assistants on medical practice. N Engl J Med 293: 527-530, Sep 11, 1975
- 3. Sackett DL, Spitzer WO, Gent M, et al: The Burlington randomized trial of the nurse practitioner: Health outcomes of patients. Ann Intern Med 80:137-142, Feb 1974
- 4. Briggs RM, Schneidman BS, Thorson EN, et al: Education and integration of mid-level health care practitioners in obstetrics and gynecology: Experience of a training program in Washington state. Am J Obstet Gynecol 132:68-77, 1978
- 5. Chenoy NC, Spitzer WO, Anderson GD: Nurse practitioners in primary care—II. Prior attitudes of a rural population. Canad Med Assoc J 108:998-1003, Apr 21, 1973
- 6. Nelson EC, Jacobs AR, Johnson KG: Patients' acceptance of physician's assistants. JAMA 228:63-67, Apr 1, 1974
- 7. Ostergard DR, Broen EM, Marshall JR: The family planning specialist as a provider of health care services. Fertil Steril 23: 505-507, Jul 1972
- 8. Ford PA, Seacat MS, Silver GA: The relative roles of the public health nurse and physician in prenatal care and infant supervision. Am J Publ Health 56:1097-1103, Jul 1966
- 9. Schlesinger ER, Lowery WB, Glaser DB, et al: A controlled test of the use of registered nurses for prenatal care. Hith Serv Rep 88:400-404, May 1973
- 10. Ostergard DR, Broen EM: The insertion of intrauterine devices by physicians and paramedical personnel. Obstet Gynecol 41:257-258, Feb 1973
- 11. Wright DD, Kane RL, Snell GF, et al: Costs and outcomes for different primary care providers. JAMA 238:46-50, Jul 4, 1977
- 12. Yankauer A, Tripp S, Andrews P, et al: The costs of training and the income generation potential of pediatric nurse practitioners. Pediatrics 49:878-887, Jun 1972
- 13. Record JC: Cost-effectiveness of physician's assistants in the department of medicine. Presented at Falstaff II, Otter Crest (Kaiser-Permanente, Portland, QR), Oct 1976
- 14. Weinstein MC, Stason WB: Foundations of cost-effectiveness analysis for health and medical practices. N Engl J Med 296:716-721, Mar 31, 1977

Propranolol for Lowering Serum Calcium

AN UNUSUAL GROUP of patients are those with hyperthyroidism who have hyper-calcemia. If you control the hyperthyroidism with antithyroid drugs, of course you can control the hypercalcemia, but the control of hyperthyroidism takes weeks if not a month or two. If a patient is symptomatic with a calcium level of 12 or 13 ml per dl, you can give propranolol intravenously or even propranolol orally in higher doses. It very nicely and acutely lowers the serum calcium. You stop the infusion, and back up goes the calcium. It is felt that the effect of excessive thyroid hormone is on the bone cells directly, stimulating resorption activity of bone cells, and that this is mediated through the beta-adrenergic system. Hence, propranolol can rapidly reverse that effect. . . . We do not see these patients very often, but it is a very nice effect if one is faced with such a patient.

—FREDERICK R. SINGER, MD, Los Angeles

Extracted from Audio-Digest Internal Medicine, Vol. 26, No. 20, in the Audio-Digest Foundation's subscription series of taperecorded programs. For subscription information: 1577 East Chevy Chase Drive, Glendale, CA 91206.